


Sorten / Grades / Сплавы										unbeschichtet/ uncoated/ без покрытия	
beschichtet/coated/с покрытием									AK1020	Bezeichnung Designation Обозначение	
AM2035	AM2130	AM5120	AP2035	AP2120	AP2310	AP2320	AP2335	AM350			
									●	TCGW 090204FN	
									●	TCGW 110202FN	
								●		TCMT 06T104EN-AM	
●	●	●	●		●	●	●			TCMT 110204EN-AM	
	●	●			●	●	●			TCMT 110208EN-AM	
	●	●			●	●	●			TCMT 16T304EN-AM	
	●	●			●	●	●			TCMT 16T308EN-AM	
	●			●						TCMT 110202EN-PM1	
	●			●						TCMT 110204EN-PM1	
	●					●				TCMT 16T304EN-PM1	
	●					●				TCMT 16T308EN-PM1	
P	○	○	●	●	●	●	●	○			
M	●	●	○					●			
K		○							○		
N		○							●		
S	●	●									
H		○									

- Hauptanwendung  
Main application  
Основное применение
- Nebenanwendung  
Secondary application  
Вторичное применение



## TCMX



Bezeichnung Designation Обозначение	l	d	s	d <sub>1</sub>	r	Sorten / Grades / Сплавы	
						beschichtet/ coated/с покрытием	
						AM35C	AR27C
TCMX 160404EN	16,50	9,525	4,76	4,4	0,4	●	
TCMX 160408EN	16,50	9,525	4,76	4,4	0,8	●	●
TCMX 160412EN	16,50	9,525	4,76	4,4	1,2	●	
TCMX 220412EN	22,00	12,700	4,76	5,16	1,2	●	

- Hauptanwendung  
Main application  
Основное применение
- Nebenanwendung  
Secondary application  
Вторичное применение

P	M	K	N	S	H
●	○				
		●			