


# Wendeschneidplatten – Hartmetall

Indexable inserts – Carbide

Сменные пластины – Твёрдый сплав



## VC..

Bezeichnung  
Designation  
Обозначение

	l	d	s	d <sub>1</sub>	r
<b>VCGT 070202EN</b>	6,92	3,970	2,38	2,2	0,2
<b>VCGT 070204EN</b>	6,92	3,970	2,38	2,2	0,4
<b>VCGT 070202FR</b>	6,92	3,970	2,38	2,2	0,2
<b>VCGT 110304FN-ACB</b>	11,10	6,350	3,18	2,8	0,4
<b>VCGT 160404FN-ALU</b>	16,50	9,525	4,76	4,4	0,4
<b>VCGT 160408FN-ALU</b>	16,50	9,525	4,76	4,4	0,8
<b>VCGT 130304FN-AS</b>	13,10	7,940	3,18	3,2	0,4
<b>VCGT 070202EN-ASF</b>	6,92	3,970	2,38	2,2	0,2
<b>VCGT 070204EN-ASF</b>	6,92	3,970	2,38	2,2	0,4
<b>VCGT 070204FN-ASF</b>	6,92	3,970	2,38	2,2	0,4
<b>VCGT 1103005FN-ASF</b>	11,10	6,350	3,18	2,8	0,05
<b>VCGT 110301EN-ASF</b>	11,10	6,350	3,18	2,8	0,1
<b>VCGT 110301FN-ASF</b>	11,10	6,350	3,18	2,8	0,1
<b>VCGT 110302EN-ASF</b>	11,10	6,350	3,18	2,8	0,2
<b>VCGT 110302FN-ASF</b>	11,10	6,350	3,18	2,8	0,2
<b>VCGT 110304EN-ASF</b>	11,10	6,350	3,18	2,8	0,4
<b>VCGT 110304FN-ASF</b>	11,10	6,350	3,18	2,8	0,4
<b>VCGT 130302EN-ASF</b>	13,10	7,940	3,18	3,2	0,2
<b>VCGT 130304EN-ASF</b>	13,10	7,940	3,18	3,2	0,4
<b>VCGT 160402EN-ASF</b>	16,50	9,525	4,76	4,4	0,2
<b>VCGT 160404EN-ASF</b>	16,50	9,525	4,76	4,4	0,4
<b>VCGT 160408EN-ASF</b>	16,50	9,525	4,76	4,4	0,8
<b>VCGT 1103002FL-PF2</b>	11,10	6,350	3,18	2,8	0,02
<b>VCGT 1103002FR-PF2</b>	11,10	6,350	3,18	2,8	0,02
<b>VCGT 1103008FL-PF2</b>	11,10	6,350	3,18	2,8	0,08
<b>VCGT 1103008FR-PF2</b>	11,10	6,350	3,18	2,8	0,08
<b>VCGT 110301FL-PF2</b>	11,10	6,350	3,18	2,8	0,1
<b>VCGT 110301FR-PF2</b>	11,10	6,350	3,18	2,8	0,1
<b>VCGT 110302FL-PF2</b>	11,10	6,350	3,18	2,8	0,2
<b>VCGT 110302FR-PF2</b>	11,10	6,350	3,18	2,8	0,2
<b>VCGT 1103005FN-PS</b>	11,10	6,350	3,18	2,8	0,05
<b>VCGT 110301FN-PS</b>	11,10	6,350	3,18	2,8	0,1
<b>VCGT 110302FN-PS</b>	11,10	6,350	3,18	2,8	0,2
<b>VCGT 110304FN-PS</b>	11,10	6,350	3,18	2,8	0,4
<b>VCGT 1604005FN-PS</b>	16,50	9,525	4,76	4,4	0,05
<b>VCGT 160401FN-PS</b>	16,50	9,525	4,76	4,4	0,1
<b>VCGT 160402FN-PS</b>	16,50	9,525	4,76	4,4	0,2
<b>VCGT 160404FN-PS</b>	16,50	9,525	4,76	4,4	0,4
<b>VCGT 110302FN-Z</b>	11,10	6,350	3,18	2,8	0,2



3