


Wendeschneidplatten – CERMET

Indexable inserts – CERMET

Сменные пластины – КЕРМЕТ



CC..



Bezeichnung Designation Обозначение	l	d	s	d ₁	r	Sorten / Grades / Сплавы			
						beschichtet/ coated/с покрытием		unbeschichtet/ uncoated/без покрытия	
						AP6510	AC90C	AP6010	ACE6
CCGT 060202FL-FS	6,40	6,350	2,38	2,8	0,2				●
CCGT 060204FL-FS	6,40	6,350	2,38	2,8	0,4				●
CCGT 09T302FR-FS	9,70	9,525	3,97	4,4	0,2				●
CCGT 09T304FL-FS	9,70	9,525	3,97	4,4	0,4				●
CCGT 09T304FR-FS	9,70	9,525	3,97	4,4	0,4				●
CCGT 060201FL-U	6,40	6,350	2,38	2,8	0,1				●
CCGT 060201FR-U	6,40	6,350	2,38	2,8	0,1				●
CCGT 060202FL-U	6,40	6,350	2,38	2,8	0,2	●		●	●
CCGT 060202FR-U	6,40	6,350	2,38	2,8	0,2				●
CCGT 09T302ER-U	9,70	9,525	3,97	4,4	0,2			●	
CCGT 09T302FL-U	9,70	9,525	3,97	4,4	0,2				●
CCGT 09T302FR-U	9,70	9,525	3,97	4,4	0,2				●
CCGT 09T304ER-U	9,70	9,525	3,97	4,4	0,4			●	
CCGT 060202FN-Z	6,40	6,350	2,38	2,8	0,2				●
CCGT 09T302FN-Z	9,70	9,525	3,97	4,4	0,2				●
CCGT 09T304FN-Z	9,70	9,525	3,97	4,4	0,4				●
CCGT 060201EN	6,40	6,350	2,38	2,8	0,1				●
CCGT 060202EN	6,40	6,350	2,38	2,8	0,2	●	●	●	●
CCGT 060204EN	6,40	6,350	2,38	2,8	0,4	●	●	●	●
CCGT 09T301EN	9,70	9,525	3,97	4,4	0,1				●
CCGT 09T302EN	9,70	9,525	3,97	4,4	0,2	●		●	●
CCGT 09T304EN	9,70	9,525	3,97	4,4	0,4	●			●
CCMT 060202EN-AQ	6,40	6,350	2,38	2,8	0,2				●
CCMT 060204EN-AQ	6,40	6,350	2,38	2,8	0,4		●		●
CCMT 09T302EN-AQ	9,70	9,525	3,97	4,4	0,2	●		●	●
CCMT 09T304EN-AQ	9,70	9,525	3,97	4,4	0,4	●	●	●	●
CCMT 09T308EN-AQ	9,70	9,525	3,97	4,4	0,8	●		●	●
CCMT 060202EN-PMC	6,40	6,350	2,38	2,8	0,2	●		●	
CCMT 060204EN-PMC	6,40	6,350	2,38	2,8	0,4	●		●	
CCMT 09T304EN-PMC	9,70	9,525	3,97	4,4	0,4	●			
CCMT 120404EN-PMC	12,90	12,700	4,76	5,5	0,4	●			

- **Hauptanwendung**
Main application
Основное применение
- **Nebenanwendung**
Secondary application
Вторичное применение

	P	M	K	N	S	H
AP6510	●	●				
AC90C	●	●				
AP6010				○		
ACE6						○

3